SUBJECT INDEX

Advection 80
African coast (SW) *see* Benguela upwelling system
Aghulas Current 306–7, 313, 315, 323–4
Algal blooms 83–4
Altimetry 328–35, 341–2
Ammonia profiles, Benguela upwelling system 24, 27–9, 69, 158, 160
Amphidinium 45
Anchovy 67
Antarctic Intermediate Water (AAIW) 320–1
Asterionella glacialis 43, 50
Atlantic Ocean (NW) circulation study
  data analysis 262–3
  data collection 259–62
  results
    horizontal patterns
      700m circulation 263–71
      1500m circulation 271–81
      2000m circulation 201–5
    vertical patterns 286–90
Atlantic Ocean (SW) *see* Benguela upwelling system
Autocorrelation functions 192–3, 194–6

Bacteria
  Benguela upwelling system 144
  light scattering properties 363–4, 373, 375
Bacteriastrum delicatulum 43, 50–3, 57
Benguela upwelling system
  copepod study 168
    methods
      field 169–70
      laboratory 170–1
      statistical analysis 171
    results
      field 171–6
      laboratory 177–80
    results discussed 181–5
  mesozooplankton study
    methods
      analysis 95
      sampling 93–5
      statistical analysis 96–7
    results
      biomass 97–8
      C. carinatus study
        biomass 103–4
        population age distribution 102–3
        vertical distribution 100–2
      taxonomy 99–100
    results discussed
      biomass 107
      C. carinatus study
        biomass 112–14
        population age structure 107–10
        vertical distribution 110–12
      hydrography 107
modelling of behaviour
  data collection 123–4
  model calibration 135–6
  model parameters 127–9
  model structure 124–5
  processes
    carbon-based 131
    fish feeding 135
    heterotroph-based 133–4
    nitrogen-based 130–1
    phytoplankton-based 131–3
    upwelling 125–6
  results
    biomass
      bacteria 144
      chlorophyll 142
      ciliates 142–4
      diatoms 140, 141
      dinoflagellates 140, 142
      flagellates 144
      macrozooplankton 145
      mesozooplankton 144
      microflagellates 143
      sensitivity analysis 137–9
    results discussed 149–50
      fish 148
      microheterotrophs 147
      phytoplankton 146–7
      zooplankton 147–8
nitrogen cycling 154
  methods of study
    analysis 155
    flux experiment 155–6
    sampling 154
  results
    ammonia profiles 158, 160
    chlorophyll profile 162
    nitrate profiles 157, 158, 160, 161
    oxygen factors 157
    salinity factors 157
    temperature factors 157
    urea profiles 158
  results discussed 163–4
physicochemical study
  chemical characteristics
    ammonia 24, 27–9
    carbon flux 28–9
    chlorophyll 18, 19, 44
    nitrate 18, 19, 24, 27, 33, 44
    nitrite 27–9, 31
    oxygen 18, 19, 22–5, 33
    phosphate 24, 27–9, 31, 33
    silicate 24, 26–31, 33
  methods 10–11
  physical characteristics
    currents 17–21
    fog 16

sedimentation rate 22–3
temperature 15, 18, 19, 33, 44
water column 16–17
wind patterns 12–16
phytoplankton dynamics
methods
biological 42
physical 41
results
biomass 45–7
cell concentrations 45
Chaetoceros flux 53
classification analysis 47–53
Coscinodiscus bloom 53–5
physical environment characters 43
species assemblage 43–5
total flux 55–6
results discussed
assemblage analysis 57–8
assemblage changes 58–9
sedimentation 60–1
seeding 59–60
phytoplankton ecology
methods
biological 68
physiocochemical 67–8
results
ammonia 69
biomass 70–3
chlorophyll levels 71, 73, 74, 76, 77
floral groups 70, 71
nitrates 69, 73
primary production 73–5
productivity indices 76
silicates 69, 73
temperature 69
results discussed 79–80
Coscinodiscus bloom 83–4
cyclicity 80–1
productivity indices 82–3
total chlorophyll 84–5
Biddulphia mobiliensis 43
Biomass studies, Benguela Current system 45–7, 103–5, 112–14, 140–5

Calanoides carinatus
biomass 103–5, 112–14
fecundity study 168
methods
field 169–70
laboratory 170–1
statistical analysis 171
results
field 171–6
laboratory 177–80
results discussed 181–5
population age structure 102–3, 107–10
vertical distribution 100–2, 110–12
Cape anchovy 67
Cape hake 24
Cape Point 2
Carbon flux
Benguela upwelling system 28–9, 55–6
modelling 131

Cerataulina bergonii 43, 50
Ceratium spp. 45
C. furca 51, 52, 57
C. fusus 51
Chaetoceros spp. 43, 50, 53, 57, 60, 61
C. compressum 50, 54
C. constrictum 51, 54
C. convolutum 51
C. curvisetum 54
C. debilis 54
C. decipiens 51
C. diadema 50, 54
C. didymum 50–2, 54
C. lorenzianum 54
C. radicans 51, 54
C. sociale 50–2, 54
C. teres 54
Chlorophyll profiles, Benguela upwelling system 18, 19, 44, 71, 73, 74, 76, 77, 84–5, 142, 162
Chrysochromulina 45, 53
Ciliates, Benguela upwelling system 142–4
Circulation studies *see* Atlantic Ocean (NW) *also* Indian Ocean
Columbine, Cape 10, 11
Copepod study *see Calanoides carinatus*
Coscinodiscus spp. 43, 51, 57, 78, 83–4
C. gigas 50, 52–5
Currents
African coast (SW) 17-21
see also Pacific Equatorial Current System
Cyanobacteria and light scattering 375

Diatoms, Benguela upwelling system 42, 78, 140, 141
Dinoflagellates, Benguela upwelling system 45, 140, 142
Dinophysis acuminata 45, 51, 52, 57
Ditylum brightwelii 43

East Madagascar Current (EMC) 306, 315
Ebria 51
Eddies 311, 330–1
Egg ratio method 168
El Niño/Southern Oscillation (ENSO) 200–1
Emiliania huxleyi 45
Engraulis capensis 67
Eutreptiella 58
Expendable bathythermograph (XBT) 190

Fecundity studies *see Calanoides carinatus*
Fish
feeding 135, 148
landings 1, 5
Flagellates 144
Frio, Cape 2

Guinardia flaccida 43
Gyrodinium 45, 51

Hondeklip Bay 2

Imantonia rotunda 45
Indian Ocean circulation experiment
  aims 306–8
  methods 309–11
  results
    altimetry 328–35, 341–2
    Antarctic Intermediate Water (AAIW) 320–1
    deep water 321–2
    eddies 311, 330–1
    geostrophic speed 323–4
    intermediate water
      eddies 319
      oxygen 317–19
    IR imagery 325–7
    profiles
      oxygen 313
      salinity 312
      temperature 312
    surface water
      oxygen 316
      salinity 313–15
      silica 317
Infra red (IR) imagery 325–7
International Indian Ocean Expedition (IIOE) 306
Isotherm depth (20 °C) 194–6, 212, 216

Jasus Lalandi 1
Joint Environmental Data Analysis (JEDA) 252

Leptocylindrus danicus 43
Light scattering and marine microbes
  method 347–9
    Mie scattering theory 350–8
  microbe responses
    bacteria 363–4
    microplankton 370–1
    nanoplankton 368–70
    picoplankton 364–8
    total backscatter 372–7
    viruses 358–60
Luderitz 2

Macrozooplankton 145
Madagascar Ridge 324
Mathematical modelling *see* modelling
Merluccius capensis 24
Mesodinium rubrum 45, 50–2, 58, 60
Mesozooplankton 144
Microflagellates, Benguela upwelling system 45, 52, 78, 141, 143
Microheterotrophs 147
Microorganisms and light scattering
  method 347–9
Mie scattering theory 350–8
  responses
    bacteria 363–4
    microplankton 370–1
    nanoplankton 368–70
    picoplankton 364–8
    total backscatter 372–7
    viruses 358–60
Microplankton and light scattering 370–1, 373
Mid Ocean Dynamics Experiment (MODE) 257
Mie scattering theory 350–8
Minidiscus trioculatus 43, 50
Modelling
  Benguela upwelling system
    data collection 123–4
    model calibration 135–6
    model parameters 127–9
    model structure 124–5
    processes
      carbon-based 131
      fish feeding 135
      heterotroph-based 133–4
      nitrogen-based 130–1
      phytoplankton-based 131–3
      upwelling 125–6
    results
      biomass
        bacteria
        chlorophyll 142
        ciliates 142–4
        diatoms 140, 141
        dinoflagellates 140, 142
        flagellates 144
        macrozooplankton 145
        mesozooplankton 144
        microflagellates 143
      sensitivity analysis 137–9
    results discussed 149–50
      fish 148
      microheterotrophs 147
      phytoplankton 146–7
      zooplankton 147–8
Mozambique Channel 330
Mozambique Current 306
Mozambique Ridge 352

Nanoplankton
  Benguela upwelling system 174
  light scattering properties 368–70, 373, 375
Navicula 43, 50
Nitrates, Benguela Current system 3, 18, 19, 24, 27, 33, 44, 69, 73, 157, 158, 160, 161
Nitrates, Benguela Current system 27–9, 31
Nitrogen cycling
  Benguela upwelling system 154
    methods of study
      analysis 155
      flux experiment 155–6
      sampling 154
    results
      ammonia profiles 158, 160
      chlorophyll profile 162
      nitrate profiles 157, 158, 160, 161
      oxygen factors 157
      salinity factors 157
      temperature factors 157
      urea profiles 158
    results discussed 163–4
Nitzschia spp. 43, 50, 51, 57
  N. closterium 50
  N. delicatissima 50
Noctiluca miliaris 45, 57
North Atlantic Deep Water (NADW) 322
North Equatorial Countercurrent (NECC) 201

Nutrient minerals, Benguela Current system 24–30

Optimal interpolation
  application to Pacific Ocean 237–46
  data checking 234–7
  database 230
    analysis fields 230–1
    first-guess fields 232
    statistical models 232–3
  methods
    cross-validation 227–8
    grid point analysis 228–9
    redundancies 226–7
    theory 223–5
  real-time system 234
    evaluation 249–52
    performance 246–9
Optimal interpolation (OI) 191, 192
Oxygen
  Benguela Current system 3, 18, 19, 22–5, 33, 157
  Indian Ocean 313, 316

Pacific Equatorial Current System
  methods of statistical analysis
    autocorrelation functions 192–3
    decorrelation scales 197, 200
    optimal interpolation 192
    signal : noise ratio 193–8
  network design
    optimal sampling 207
      broadcast 207–13
      trackline 214
    statistics 203–4
  results 200–2
    isotherm autocorrelation function 194–6
    meridional autocorrelation function 196
    sea surface temperature autocorrelation function 194, 195
Pacific Equatorial Ocean Dynamics (PEQUOD) 191
Pacific Ocean, optimal interpolation analysis 237–46
Pacific Ocean *see* Pacific Equatorial Current System
Particulate organic carbon (POC), Benguela upwelling system 55–6
Phosphates, Benguela Current system 24, 27–9, 31, 33
Phytoplankton
  abundance and ecology *see* Benguela upwelling system
  biomass modelling 146–7
Picoplankton and light scattering 364–8
Pilchard 67
Plankton
  light scattering properties
    microplankton 370–1, 373
    nanoplankton 368–70, 373, 375
    picoplankton 364–8
    ultrananoplankton 373
  modelling biomass 146–8
  see also Benguela upwelling system
Polykrikos 45, 50
Prochlorophytes and light scattering 373
Prorocentrum micans 45, 57
Protoceratium reticulatum 45, 57, 60
Protoperidinium 45, 57

Rhizosolenia 43
Rock lobster 1

St Helena Bay 2, 11
  anchor station project 5–6
  anchor station studies *see* Benguela upwelling system
  currents 2–4
  fish landings 1, 5
  nitrate profile 3
  oxygen profile 3
  temperature profile 3
  upwelling 1–2
Salinity profiles
  Benguela upwelling system 157
  Indian Ocean 312–15
Sardinops ocellatus 67
Sea surface temperature (SST) 194, 195, 215
Sedimentation rate, African coast (SW) 22–3
Silica, Indian Ocean 317
Silicates, Benguela Current system 24, 26–31 33, 69, 73
Skeletonema costatum 43, 50
Sound Fixing and Ranging (SOFAR) 257
South Equatorial Current 315
South Indian Equatorial Current 306
Survey of the Tropical Pacific (SURTROPAC) 191

Temperature profiles
  Benguela upwelling system 3, 15, 18, 19, 33, 44, 69, 157
  Indian Ocean 312
  Pacific Ocean 194, 195, 215
Thalassionema nitzschiodes 43
Thalassiosira spp. 43, 50–3, 57
  T. aestivalis 51
Thermal structure study *see* Pacific Equatorial Current System
Tropical Ocean Global Atmosphere (TOGA) project 190, 220

Ultrananoplankton and light scattering 373
Upwelling and Benguela Current 2
  see also Benguela upwelling system
Urea profiles, Benguela upwelling system 158

Viruses and light scattering 358–60, 375

Walvis Bay, time series study 30–3
Wind patterns, African coast (SW) 12–16

Zooplankton
  modelling biomass 144, 145, 147–8
  see also Benguela upwelling system
Zygabikodinium lenticulatum 45